





Manually Actuated 2-Way, Quarter-Turn Valve (1/4", 1/2" & 3/4" Orifice)

Furon UPX Valves are specifically designed for safe and reliable transfer of highly aggressive chemicals, including concentrated hydrogen fluoride (HF) and hydrogen chloride (HCl). Our proprietary technology protects the valve's working components from degradation due to chemical attacks. The wetted flow path constructed from 100% virgin PFA, assuring compliance with the highest purity standards. Additionally, the UPX Valves are capable of handling a wide variety of abrasive slurries and have a long track record of success in slurry applications.

Applications

It is our position based on our testing that Furon UPX Valves are ideal for use in the semiconductor industry, or other applications, such as Flat Panel, Photovoltaic, and Chemical Processing requiring ultra-high purity and/or superior chemical resistance. You should conduct your own testing to understand its compatibility with your specific application.

Our testing* has shown among other things that Furon UPX Valves are:

- Designed for use in ultra-pure deionized water and aggressive chemical applications
- Suitable for use in certain abrasive slurry such as SS25
- Compatible with concentrated HF 49% and HCl 37 %
- * The testing results may vary based on other impacting factors



Features and Benefits

- Superior life expectancy over competitive valves
- Suitable for use in all chemicals, including concentrated HF and HCl
- Suitable for use in abrasive slurries
- 100% virgin PTFE/PFA flow path
- Double diaphragm containment with standard leak detection port
- No exposed metallics
- Integral swivel base for freedom and ease of mounting
- Furon UPX Valve designs have been tested for more than 3 million cycles



ASK AN ENGINEER

Furon UPX Valve - Manually Actuated, 2-Way Quarter-Turn

Part Number	End Connection Type	Orifice		End Connection Size		А		В		С		ØD		Е	
		in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm
UPX2-F44-M	FlareGrip® II	1/4	6.35	1/4	6.35	4.30	109.22	1.38	35.05	4.13	104.90	2.12	53.85	2.72	69.09
UPX2-S30044-M	Nippon Pillar Super 300®			1/4	6.35	Please c	ontact us								
UPX2-F46-M	FlareGrip® II			3/8	9.52	4.70	119.38								
UPX2-S30046-M	Nippon Pillar Super 300®			1/4	6.35	Please c	ontact us								
UPX2-744-M	FuseBond™			1/4	6.35	4.90	124.46								
UPX2-F88-M	FlareGrip® II	1/2	12.7	1/2	12.7	5.60	142.26	- 1.70	43.18	4.97	126.24	2.88	73.15	3.62	91.95
UPX2-S30088-M	Nippon Pillar Super 300®			1/2	12.7	5.50	139.70								
UPX2-F812-M	FlareGrip® II			3/4	19.05	5.90	149.86								
UPX2-S300812-M	Nippon Pillar Super 300®			3/4	19.05	7.20	182.88								
UPX2-788-M	FuseBond™			1/2	12.7	5.60	142.24								
UPX2-7812-M	FuseBond™			3/4	19.05	5.90	149.86								
UPX2-F1212-M	FlareGrip® II	3/4	19.05	3/4	19.05	6.30	160.02	- 1.90	48.26	5.33	135.38	3.40	86.36	4.20	106.68
UPX2-S3001212-M	Nippon Pillar Super 300®			3/4	19.05	8.00	203.20								
UPX2-F1216-M	FlareGrip® II			1	25.4	6.90	175.26								
UPX2-S3001216-M	Nippon Pillar Super 300®			1	25.4	8.00	203.20								
UPX2-71212-M	FuseBond™			3/4	19.05	5.90	149.86								
UPX2-71216-M	FuseBond™			1	25.4	5.80	147.32								

Tested with HCl for more than 2.1 million cycles and HF for more than 1.1 million cycles

Operating Specifications

Operating Pressure 100 psig (6.9 bar) at room temperature Back Pressure 100 psig (6.9 bar) at room temperature Flow Orifice 1/4" 1/2" 3/4" Cv 0.8 3.2 7.0 Max Operating Temperature* Ambient: 149°F (65°C) Media: 230°F (110°C)** Body PFA Diaphragm Modified PTFE Top Cap ETFE	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1								
Orifice 1/4" 1/2" 3/4" Cv 0.8 3.2 7.0 Max Operating Temperature* Ambient: 149°F (65°C) Media: 230°F (110°C)** Body PFA Diaphragm Modified PTFE	Operating Pressure	100 psig (6.9 bar) at room temperature							
Flow Cv 0.8 3.2 7.0 Max Operating Temperature* Ambient: 149°F (65°C) Media: 230°F (110°C)** Body PFA Diaphragm Modified PTFE	Back Pressure	100 ps	ig (6.9 bar)	at room temperature					
Cv 0.8 3.2 7.0 Max Operating Temperature* Ambient: 149°F (65°C) Media: 230°F (110°C)** Body PFA Diaphragm Modified PTFE	Flance	Orifice	1/4"	1/2" 3 3.2 nt: 149°F (65°C) 230°F (110°C)** PFA dified PTFE	3/4"				
Max Operating Temperature* Media: 230°F (110°C)** Body PFA Diaphragm Modified PTFE	FIOW	Cv	0.8		7.0				
Diaphragm Modified PTFE	Max Operating Temperature*								
	Body	PFA							
Top Cap ETFE	Diaphragm	Modified PTFE							
	Тор Сар	ETFE							

^{*} Please contact us for higher temperature >>


Options

- PFA Flare nuts (add -3)
- Other end connection types available. <u>Please contact us</u> for:
 - FNPT
 - Sanitary Flange Tube End
- Others not listed
- High Temperature version is available (Please contact us)

^{**}It is recommended to use a FuseBond™ or Nippon Pillar Super 300* connection over a flare fitting for high temperature application

Furon UPX Valve - Manually Actuated, 2-Way Quarter-Turn

Drawings



U.S. Patents 5,967,173 & 5,261,442



Saint-Gobain Performance Plastics

China (+8621) 5472 1568 Sales.PPLCN@saint-gobain.com Europe (+33) 3 85 20 27 00 quotes-clm@saint-gobain.com India (+91) 80 46978888 pplindia.hc@saint-gobain.com Japan (+81) 3 6256 9703 Is-japan@saint-gobain.com Korea (+82) 2 6098 0180 LS-Korea@saint-gobain.com

Southeast Asia (+66) 38 667 800 cs.sgpplsea@saint-gobain.com

Taiwan (+886) 2 2503 4201 Taiwan.ppl@saint-gobain.com United States (+1) 800-833-5661 gardengrovequoteteam@saint-gobain.com All Other Regions www.furon.com

NOTE: This document is intended to provide information about the product to enable you to consider whether generally the Product meets your application need and is not intended to provide product specification. This document should not be considered a Product warranty or guaranty. To the extent this document mentions any tests done by Saint-Gobain, such tests are done under controlled laboratory circumstances and hence other factors in your use and application may impact such values. Saint-Gobain strongly recommends that you conduct practical tests simulating the conditions of your application to ensure that the product meets your requirements for your specific application.

 $Furon^*, FlareGrip^* \ and \ FuseBond^{\text{\tiny M}} \ are \ registered \ trademarks \ of \ Saint-Gobain \ Performance \ Plastics. \ Nippon \ Pillar \ Super \ 300^* \ is \ a \ registered \ trademark \ of \ Nippon \ Pillar \ Packing \ Co.$

WARRANTY: Saint-Gobain warranties that the Product will meet specifications at the time of delivery and honor such warranty claims for a period of 30 months after delivery. In the event that you are a distributor purchasing Saint-Gobain Product, any change to specification while in your control as a result of storage conditions or otherwise may cause the above warranty to be voided. THIS IS THE EXCLUSIVE WARRANTY AND IS EXPRESSLY IN LIEU OF ANY AND ALL OTHER OBLIGATIONS, GUARANTEES, WARRANTIES AND REPRESENTATIONS. SAINT-GOBAIN DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.